








































Product Portfolio



CONTROLS
FULL INTEGRATION ACCROSS
ALL DAIKIN PRODUCTS

Full integration accross all Daikin products

Type	Product description	Product name	Packshot	
SERVICE	Air Conditioning Network Service System to monitor your air conditioning and guarantee the highest efficiency	ACNSS		
	Daikin Altherma & VRV configurator for simplified commissioning	EKPCCAB1*		
INTERFACES FOR CONNECTION TO THIRD PARTY BUILDING MANAGEMENT SYSTEMS	BACnet INTERFACE	BACnet Interface for VRV	DMS502A51	
		BACnet Interface for Chillers	EKCMBACIP / EKCMBACMSTP	
	LonWorks INTERFACE	LonWorks Interface for VRV	DMS504B51	
		LonWorks Interface for Refrigeration	EKLONPG	
		LonWorks Interface for Chillers and AHU	EKCMMLON	
	MODBUS INTERFACE	Modbus Interface for residential indoor units	RTD-RA	
		Modbus Interface for Sky Air, VRV, VAM/VKM including <i>duty and standby for server rooms</i>	RTD-NET	
		Modbus interface with advanced integration of Sky Air, VRV, VAM/VKM	RTD-10	
		Retail controller with monitoring and control of Sky Air, VRV, VAM/VKM and air curtains	RTD-20	
		Modbus Interface for Sky Air, VRV, VAM/VKM including <i>intelligent hotel room control</i>	RTD-HO	
		Modbus Interface for Daikin Altherma Flex Type, HT hydrobox and chillers	RTD-W	
		Modbus Interface for Daikin Altherma Low Temperature	RTD-LT	
		Modbus interface for Chillers and AHU	EKCM200J	
	KNX INTERFACE	KNX interface for residential indoor units	BRR9A1V1	
		KNX interface for Sky Air and VRV	KLIC-DD	
	HTTP INTERFACE	KNX interface for Sky Air and VRV	KLIC-DI	
	HTTP INTERFACE	http interface for Sky Air and VRV	DCS007A51	
	MANAGEMENT CONTROL	 mini BMS	DCM601A51	
Chiller serial sequencing panel		EKDSSP-S		
CENTRALISED CONTROL	 Touch screen for detailed and easy monitoring of VRV systems	DCS601C51		
	 for basic control of Sky Air and VRV	DTA113B51		
	Schedule timer	DST301B51		
	Unified ON/OFF control	DCS301B51		
	Centralised remote control	DCS302C51		
	ST controller	DRC601C51		
	Chiller digital sequencing panel	EKDDSP		
INDIVIDUAL CONTROL	Online controller 	KKRP01A / BRP069A41		
	Simplified remote control (for hotel applications)	BRC2E52/BRC3E52		
	User friendly wired remote control	BRC1E52A/B / BRC1D52		
	Daikin Altherma wired remote control	-		
	Infrared remote control	ARC / BRC4' / BRC7'		


Application / Product portfolio			
Residential	Light commercial	Medium commercial	Large commercial / industrial
	✓	✓	✓
	✓	✓	✓
		✓	✓
		✓	✓
		✓	✓
		✓	✓
		✓	✓
✓			
	✓	✓	
	✓	✓	✓
	✓	✓	
		✓	
	✓	✓	✓
✓	✓	✓	
		✓	✓
		✓	✓
✓	✓		
	✓	✓	
		✓	✓
		✓	✓
		✓	
		✓	
		✓	
		✓	
		✓	
	✓	✓	
	✓	✓	
	✓	✓	✓
✓	✓		
	✓	✓	
	✓	✓	
✓			
✓	✓	✓	



The Daikin solution for a typical hotel

Intelligent Touch Manager mini BMS in combination with Daikin's energy efficient product portfolio.

- Control ALL HVAC-R equipment from one central location, plug & play
- Smart energy management
- Interlock with other third party equipment such as alarms, key card, ...



Control all HVAC-R equipment, plug & play

1 Entrance

Biddle air curtain allowing open doors without losing energy

2 Rooms

- VRV IV heat recovery allowing individual control at maximum efficiency
- Low cost hot water production via Daikin Altherma Flex Type to create the perfect personal environment with intuitive A/C control

3 Banquet hall

Daikin VRV or Chiller in combination with Daikin air handling unit to supply fresh air in combination with heating and cooling.

4 Kitchen

Conveni-pack for medium and low temperature refrigeration with heat recovery function to provide refrigeration at high efficiencies and low sound levels.

The present leaflet is drawn up by way of information only and does not constitute an offer binding upon Daikin Europe N.V. Daikin Europe N.V. has compiled the content of this leaflet to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Europe N.V. explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this leaflet. All content is copyrighted by Daikin Europe N.V.



Daikin products are distributed by:

FSC

ECPEN14-301A